should be given on an empty stomach and food should not be given for 3 hours following treatment.

- (3) Tablets should not be crushed, mixed with food, or dissolved in liquid. Repeat treatments should not be given within 14 days. The drug should not be given to male dogs within 28 days prior to their use for breeding. Do not administer to dogs or cats having known heart conditions.
- (4) For use only by or on the order of a licensed veterinarian.

[40 FR 13838, Mar. 27, 1975, as amended at 42 FR 13018, Mar. 8, 1977; 46 FR 48642, Oct. 2, 1981; 61 FR 8873, Mar. 6, 1996; 62 FR 61624, Nov. 19, 1997]

§520.246 Butorphanol tartrate tablets.

- (a) Specifications. Each tablet contains 1, 5, or 10 milligrams of butorphanol base activity as butorphanol tartrate.
- (b) *Sponsor*. See No. 000856 in §510.600(c) of this chapter.
- (c) Conditions of use. The drug is used for the treatment of dogs as follows:
- (1) Amount. 0.25 milligram of butorphanol base activity per pound of body weight.
- (2) Indications for use. For the relief of chronic nonproductive cough associated with tracheo-bronchitis, tracheitis, tonsillitis, laryngitis, and pharyngitis associated with inflammatory conditions of the upper respiratory tract.
- (3) Limitations. For oral use in dogs only. Repeat at intervals of 6 to 12 hours as required. If necessary, increase dose to a maximum of 0.5 milligram per pound of body weight. Treatment should not normally be required for longer than 7 days. Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[47 FR 14702, Apr. 6, 1982, as amended at 53 FR 27851, July 25, 1988]

§520.260 n-Butyl chloride.

- (a)(1) Specifications. n-Butyl chloride capsules, veterinary contain 272 milligrams or 816 milligrams of n-butyl chloride in each capsule.
- (2) *Sponsor*. See No. 021091 in §510.600(c) of this chapter.
- (3) Conditions of use. (i) It is used for the removal of ascarids (Toxocara canis and Toxascaris leonina) and hookworms

(Ancylostoma caninum, Ancylostoma braziliense, and Uncinaria stenocephala) from dogs and of the ascarid (Toxocara cati) and hookworm (Ancylostoma tubaeforme) from cats.

- (ii)(a) Animals should not be fed for 18 to 24 hours before being given the drug. Puppies and kittens should be wormed at 6 weeks of age. However, if heavily infested, they may be wormed at 4 or 5 weeks of age. Administration of the drug should be followed in ½ to 1 hour with a teaspoonful to a tablespoonful of milk of magnesia or 1 or 2 milk of magnesia tablets. Normal rations may be resumed 4 to 8 hours after treatment. Puppies and kittens should be given a repeat treatment in a week or 10 days. After that they should be treated every 2 months (or as symptoms reappear) until a year old. When the puppy or kitten is a year old, one treatment every 3 to 6 months is sufficient.
- (b) For dogs or cats that have been wormed regularly, treatment every 3 to 6 months will be sufficient. If a dog or cat has not been wormed previously and has the symptoms of large roundworms a dose should be given and repeated in 10 days. Removal of hookworms may require 3 or 4 doses at 10-day intervals.
- (c) Puppies, dogs, cats, or kittens weighing 1 to 3 pounds should be given 2 capsules per dose which contain 272 milligrams of n-butyl chloride each. Such animals weighing 4 to 5 pounds should be given 3 such capsules. Animals weighing 6 to 7 pounds should be given 4 such capsules and animals weighing 8 to 9 pounds should be given 5 such capsules. Animals weighing 10 to 20 pounds should be given 3 capsules which contain 816 milligrams of nbutyl chloride each, animals weighing 20 to 40 pounds should be given 4 such capsules and animals weighing over 40 pounds should be given 5 such capsules with the maximum dosage being 5 capsules, each of which contains 816 milligrams of n-butyl chloride.
- (iii) A veterinarian should be consulted before using in severely debilitated dogs or cats and also prior to repeated use in cases which present signs of persistent parasitism.
- (b)(1) Specifications. n-Butyl chloride capsules contain 221, 442, 884, or 1,768